Page 1 of 4

Students

Exhibit - Allergy and Anaphylaxis Emergency Plan

This form has been adapted with the permission of the American Academy of Pediatrics (AAP), see: https://publications.aap.org/pediatrics/article/139/3/e20164005/53741/Guidance-on-Completing-a-Written-Allergy-and. A district/cooperative may include its information on this form, but the AAP copyright notice that appears at the bottom of each page must be retained. Any district/cooperative or school logos added should appear smaller than the AAP logo that appears at the top of page 1. The italicized language on this form does not appear on the original American Academy of Pediatrics Allergy and Anaphylaxis Emergency Plan.

American Academy of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN

Child's Name:		Date of Plan:	
Date of Birth:		Age kg.	Attach
Child has allergy to:			child's
Child has asthma.	☐ Yes	☐ No (If yes, higher chance severe reaction)	photo
Child has had anaphylaxis.	☐ Yes	□No	
Child may carry medicine.	☐ Yes	□No	
Child may give him/herself medicine.	☐ Yes	☐ No (If child refuses / is unable to self-treat an	adult must give medicine

This form has been adapted with the permission of Pediatrics, Vol. 139 © 2017 American Academy of Pediatrics. Updated 3/2019. All rights reserved. Your child's doctor will tell you to do what's best for your child. This information should not take place of talking with your child's doctor.

Anaphylaxis is a potentially life threatening, severe allergic reaction. If in doubt, give epinephrine.

For Severe Allergy and Anaphylaxis What to look for



If child has ANY of these severe symptoms after eating the food or having a sting, **give epinephrine**.

- Shortness of breath, wheezing, or cough
- Skin color is pale or has bluish color
- Weak pulse
- Fainting or dizziness
- Tight or hoarse throat
- Trouble breathing or swallowing
- Swelling of lips or tongue that bother breathing
- Vomiting or diarrhea (if severe or combined with other symptoms)
- Many hives or redness over body
- Feeling of "doom," confusion altered consciousness, or agitation

■ SPECIAL SITUATION: If this box is checked, child has an extremely severe allergy to an insect sting or the following food(s) ______. Even if child has MILD symptoms after a sting or eating these foods, give epinephrine.

Give epinephrine! What to do

- 1. Inject epinephrine right away! Note time when epinephrine was given.
- 2. Call 911.
 - Ask for ambulance with epinephrine.
 - Tell rescue squad when epinephrine was given.
- 3. Stay with child and:
 - Call parents and child's doctor
 - Give a second dose of epinephrine, if symptoms get worse, continue, or do not get better in 5 minutes.
 - Keep child lying on back. If the child vomits or has trouble breathing, keep child lying on his or her side.
- 4. Give other medicine, if prescribed. Do not use other medicine in place of epinephrine.
 - Antihistamine
 - Inhaler/bronchodilator

For Mild Allergic Reaction What to look for



If a child has had any mild symptoms, **monitor child.**Symptoms may include:

- Itchy nose, sneezing, itchy mouth
- A few hives
- Mild stomach nausea or discomfort

Monitor Child What to do

Stay with child and:

- Watch child closely
- Give antihistamine (if prescribed).
- Call parents and child's doctor.

If more than 1 symptom or symptoms of severe allergy/anaphylaxis develop, use epinephrine. (See "For Severe Allergy and Anaphylaxis.")

Medicines/Doses		
Epinephrine, Intramuscular (list type):	_ Dose:	☐ 0.10 mg (7.5 kg to less than 13 kg)* ☐ 0.15 mg (13 kg to less than 25 kg) ☐ 0.30 mg (25 kg or more)
Antihistamine, by mouth (type and dose):	(*Use	0.15mg, if 0.10 mg is not available)
Other (for example, inhaler/bronchodilator if child as asth	ıma):	
Physician/HCP Authorization Signature		Date

This form has been adapted with the permission of *Pediatrics*, Vol. 139, Issue 3 © 2017 American Academy of Pediatrics. Updated 3/2019. All rights reserved. Your child's doctor will tell vou to do what's best for your child. This information should not take the place of talking with your child's doctor.

In the event of a medical emergency, I hereby authorize the Cooperative and its employees and agents to administer or to attempt to administer to my child (or to allow my child to self-administer pursuant to State law, while under the supervision of the employees and agents of the Cooperative), lawfully prescribed medication in the manner described above. This includes administration of undesignated epinephrine injectors and/or asthma medication, to the extent the Cooperative maintains such undesignated supplies.

I acknowledge that it may be necessary for the administration of medications to my child to be performed by an individual other than a school nurse and specifically consent to such practices, and by signing below, I agree to indemnify and hold harmless the Cooperative and its employees and agents against any claims, except a claim based on willful and wanton conduct, arising out of the administration or the child's self-administration of medication.

The following is applicable only to parents/guardians of students	
injector and/or asthma medication: I authorize the Cooperative to self-carry and self-administer his or her epinephrine injector (2) while at a school-sponsored activity, (3) while under the sup after normal school activities, such as while in before-school or Illinois law requires the Cooperative to inform parents/guardian liability, except for willful and wanton conduct, as a result of an self-administration of an epinephrine injector or asthma medical	and/or asthma medication: (1) while in school, ervision of school personnel, or (4) before or after-school care on school-operated property. In that it, and its employees and agents, incur now injury arising from a student's self-carry and
Parent/Guardian Authorization Signature	Date

Child's Name:	Date of Plan:	
Additional Instructions:		
Contacts		
Call 911 / Rescue Squad:		
Doctor:	Phone:	
Parent / Guardian:	Phone:	
Parent / Guardian:	Phone:	
Other Emergency Contacts		
Name / Relationship:	Phone:	
Name / Relationship:	Phone:	

Implemented: 3/2023

This form has been adapted with the permission of *Pediatrics*, Vol. 139, Issue 3 © 2017 American Academy of Pediatrics. Updated 3/2019. All rights reserved. Your child's doctor will tell you to do what's best for your child. This information should not take the place of talking with your child's doctor.